



## IPA ELECTRONIC CLEANING SOLVENT

IPA is a 'safe' and gentle industrial grade solvent cleaner used to clean painted and delicate surfaces, electronic PCB's, and electrical parts. It has excellent materials compatibility, preventing damage and premature failure. Conforms to BS1595, ASTM D770 and DIN 53245 specification, making it the optimal cleaner for removing light oil, flux, and contamination and moisture from electronics and apparatus. Fast-evaporating cleaner which does not leave a residue and is non-corrosive.

### KEY FEATURES

- Very 'safe' and gentle solvent cleaner
- Removes light oil, flux residue, and electronics contamination
- Excellent materials compatibility
- Removes moisture
- Fast evaporation and residue free
- Conforms to BS1595, ASTM D770 and DIN 53245
- IPA purity  $\geq$  99.7%

### MARKET SECTORS:

**ELECTRICAL MRO**  
**INDUSTRIAL MRO**  
**TRADE/PRO-DIY**  
**AGRICULTURE**

AC CODE	CRC CODE	SIZE
1976	32776	500ml Aerosol

## NEVER ASK A PROFESSIONAL TO USE ANYTHING ELSE!

### APPLICATION AREAS

A 'universally safe' solvent cleaner with excellent materials compatibility. Use on printed circuit boards, optical equipment, lenses, precision instruments and other delicate components.

### DIRECTIONS FOR USE

- Ensure electrical equipment is switched off before using the product.
- Shake the can before use.
- Spray onto components or surfaces to be cleaned in order to flush away contamination.
- Always allow the complete evaporation of the solvent from treated equipment before operating.
- Drying can be accelerated by wiping with a paper towel or clean cloth.

APPEARANCE:	Clear, colourless liquid
ODOUR:	Characteristic, alcohol
SPECIFIC GRAVITY AT 20°C:	0.790
PURITY	99.7% (w/w minimum)
SOLUBILITY:	Miscible with water
FLASH POINT:	12°C

(All values apply to product without aerosol propellant)

## HEALTH AND SAFETY

A separate Safety Data Sheet (SDS) is available from <https://www.actioncan.com/product/ipa/> or from [info.uk@crcind.com](mailto:info.uk@crcind.com)

## STORAGE & SHELF LIFE

The product may be stored at normal ambient temperatures and has a shelf life of not less than 6 years with correct storage. Aerosols should always be stored below 50°C, away from direct heat and naked flame.

## MISREPRESENTATION ACT 1967 & TRADE DESCRIPTIONS ACT 1968

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.

## TECHNICAL SERVICE

CRC Industries UK Ltd provides a technical support service and maintains a constant programme of research and development. Should you have a technically complex enquiry, please email us for specialist/laboratory support.

